

Message

---

**From:** Loretta J. Powers [Loretta.Powers@gza.com]  
**Sent:** 9/18/2018 6:37:59 PM  
**To:** Vorce, Karen (DEQ) [VorceK@michigan.gov]; Leslie Nelson [leslie.nelson@gza.com]  
**CC:** Kimble, Jeffrey [kimble.jeffrey@epa.gov]; Hendershott, Abigail (DEQ) [HENDERSHOTTA@michigan.gov]; Worrall, Mark (DEQ) [WORRALLM@michigan.gov]; Wierzbicki, David (DEQ) [WIERZBICKID@michigan.gov]; DEQ-RRD-GR [DEQ-RRD-GR@michigan.gov]  
**Subject:** RE: MDOT SOW

I will see if we can push this drafting request through before tomorrow's meeting. Thanks, Lori

Lori J. Powers  
Senior Project Manager  
Rose & Westra, a Division of GZA  
616-956-6123 (office)  
616-291-0800 (cell)

---

**From:** Vorce, Karen (DEQ) <VorceK@michigan.gov>  
**Sent:** Tuesday, September 18, 2018 2:32 PM  
**To:** Leslie Nelson <leslie.nelson@gza.com>; Loretta J. Powers <Loretta.Powers@gza.com>  
**Cc:** Kimble, Jeffrey <kimble.jeffrey@epa.gov>; Hendershott, Abigail (DEQ) <HENDERSHOTTA@michigan.gov>; Worrall, Mark (DEQ) <WORRALLM@michigan.gov>; Wierzbicki, David (DEQ) <WIERZBICKID@michigan.gov>; DEQ-RRD-GR <DEQ-RRD-GR@michigan.gov>  
**Subject:** RE: MDOT SOW

Hi Lori and Leslie,

As discussed at our project coordination meeting last week, the EPA and DEQ reviewed the MDOT SOW and are requesting that some more grid points are added on for sampling. Can you create a figure that shows the currently proposed grid sampling points on top of the topographic contours on the property? We can discuss at our work session tomorrow and show you where we would like to see some additional borings added.

Thanks,

Karen Vorce  
Environmental Quality Analyst  
Remediation and Redevelopment Division  
Grand Rapids District Office  
MI Department of Environmental Quality  
Cell Phone: 616-439-8008 Fax: 616-356-0202  
[vorcek@michigan.gov](mailto:vorcek@michigan.gov)

---

**From:** Leslie Nelson <[leslie.nelson@gza.com](mailto:leslie.nelson@gza.com)>  
**Sent:** Monday, September 10, 2018 4:56 PM  
**To:** Hendershott, Abigail (DEQ) <[HENDERSHOTTA@michigan.gov](mailto:HENDERSHOTTA@michigan.gov)>  
**Cc:** Vorce, Karen (DEQ) <[VorceK@michigan.gov](mailto:VorceK@michigan.gov)>; Mark A. Westra <[mark.westra@gza.com](mailto:mark.westra@gza.com)>; Loretta J. Powers <[Loretta.Powers@gza.com](mailto:Loretta.Powers@gza.com)>  
**Subject:** MDOT SOW

Hi Abby,  
Attached is the MDOT SOW we discussed last week.

Thanks,  
Leslie

Leslie M. Nelson, P.E.  
Senior Project Manager  
GZA | 601 Fifth Street N.W., Suite 102 | Grand Rapids, Michigan 49504  
o: 616.258.7222 | c: 616.481.7588 | [leslie.nelson@gza.com](mailto:leslie.nelson@gza.com) | [www.gza.com](http://www.gza.com)

GEOTECHNICAL | ENVIRONMENTAL | ECOLOGICAL | WATER | CONSTRUCTION MANAGEMENT

Known for excellence. Built on trust.

---

*This electronic message is intended to be viewed only by the individual or entity to which it is addressed and may contain privileged and/or confidential information intended for the exclusive use of the addressee(s). If you are not the intended recipient, please be aware that any disclosure, printing, copying, distribution or use of this information is prohibited. If you have received this message in error, please notify the sender immediately and destroy this message and its attachments from your system.*

---

For information about GZA GeoEnvironmental, Inc. and its services, please visit our website at [www.gza.com](http://www.gza.com).

---

*This electronic message is intended to be viewed only by the individual or entity to which it is addressed and may contain privileged and/or confidential information intended for the exclusive use of the addressee(s). If you are not the intended recipient, please be aware that any disclosure, printing, copying, distribution or use of this information is prohibited. If you have received this message in error, please notify the sender immediately and destroy this message and its attachments from your system.*

---

For information about GZA GeoEnvironmental, Inc. and its services, please visit our website at [www.gza.com](http://www.gza.com).